



INDEX MAPS.

T. 5 N., R. 4 E. 2nd Mer.



T. 6 N., R. 4 E. 2nd Mer.



(F) The figures on the lines refer to the page.

Township N. 5 North, Range N. 4 East 2. Mer. Indiana

South Boundary

East On Rand^m. S. boundary of Sec. 31, T5N. R4E.

40.00 Let temp^y. gr. Sec. post

80.00 Let temp^y. Sec. post. This mile over rich level
Oak & Hickory timbered land

East On Rand^m. S. boundary of Sec. 32, T5N. R4E.

40.00 Let temp^y. gr. Sec. post

80.00 Let temp^y. Sec. post

Land timber &c. same as on the last mile

East On Rand^m. S. boundary of Sec. 33, T5N. R4E.

27.00 a Spring Course S. E.

32.25 a Spring run 5 lks. wide Course S. E.

35.00 a Do Do 5 lks. " " N. W.

40.00 Let temp^y. gr. Sec. post

80.00 Let temp^y. Sec. post

Level Oak & Hickory timbered land

East On Rand^m. S. boundary of Sec. 34, T5N. R4E.

11.00 a Brook 10 lks. wide Course South

40.00 Let temp^y. gr. Sec. post

43.00 a Brook 20 lks. wide Course South

50.00 a Creek 50 lks. " " N. W.

80.00 Let temp^y. Sec. post - Level land

East On Rand^m. S. boundary of Sec. 35, T5N. R4E.

10.50 a Brook 10 lks. wide Course N. W.

40.00 Let temp^y. gr. Sec. post

80.00 Let temp^y. Sec. post. This mile over very
thin broken soil, Oak hills very high

East On Rand^m. S. boundary of Sec. 36, T5N. R4E.

40.00 Let temp^y. gr. Sec. post

79.19 intersected the N. & S. line 440 lks. S. of the Town
Corner - Land level, Beech timber. Sept. 30th 1806.

T5 N R4 E. 2^d Mer. Indiana

Nest On true line S. boundary of Sec. 36, T5 N. R4 E.
 40.00 Let the gr. Sec. post on true line, from which
 a W. Oak 20 in. dia. - bray S30 E 6 1/2 lks. dist. of
 a do 15 " " " N30 W5 " "
 80.00 Let a post Cor. to Sec. 35 & 36, from which
 a Bk. Oak 10 in. dia. - bray S21 W 24 lks. dist. of
 a Beech 6 " " " N56 W 21 " "

Nest On true line S. boundary of Sec. 35, T5 N. R4 E.
 40.00 Let the gr. Sec. post, on true line, from which
 a W. Oak 12 in. dia. - bray S57 W 37 lks. dist. of
 a do 15 " " " N30 E 26 " "
 80.00 Let a post Cor. to Sec. 34 & 35, from which
 a Beech 10 in. dia. - bray S9 E 21 lks. dist. of
 a B. Oak 40 " " " N4 E 27 " "

Nest On true line S. boundary of Sec. 34, T5 N. R4 E.
 40.00 Let the gr. Sec. post on true line, from which
 a Beech 10 in. dia. - bray N17 W 25 lks. dist. of
 a do 10 " " " S40 E 8 " "
 80.00 Let a post Cor. to Sec. 33 & 34, from which
 a Beech 6 in. dia. - bray S82 E 20 lks. dist. of
 a do 6 " " " S10 E 19 " "

Nest On true line S. boundary of Sec. 33, T5 N. R4 E.
 40.00 Let the gr. Sec. post on true line, from which
 a Hickory 10 in. dia. - bray N60 W 20 lks. dist. of
 a B. Oak 15 " " " S10 W 10 " "
 80.00 Let a post Cor. to Sec. 32 & 33, T5 N. R4 E., from which
 a W. Oak 15 in. dia. - bray N83 W 35 lks. dist. of
 a B. Oak 20 " " " N52 E 18 " "

Nest On true line S. boundary of Sec. 32, T5 N. R4 E.
 40.00 Let the gr. Sec. post on true line, from which
 a B. Oak 20 in. dia. - bray N27 W 33 lks. dist. of
 a Hickory 10 " " " N53 E 33 " "

T5N R4E. 2^d Mer. Indiana

80.00 Let a post Cor. to Sec. 31 & 32, from which
 a Hickory 10 in. dia. bears S64E 12 lks. dist. of
 a Do 8 " " " N26W 17 " "

West On true line S. boundary of Sec. 31, T5N, R4E.
 40.00 Let the q. Sec. post on true line, from which
 a Hickory 10 in. dia. bears N78E 11 lks. dist. of
 a W. Oak 12 " " " S78W 11 " "
 79.19 to Township Corner.

East Boundary

North On E. boundary of Sec. 36, T5N, R4E.
 14.00 a Brook 10 lks. wide Course S.E.
 40.00 Let the q. Sec. post, from which
 a Hickory 8 in. dia. bears N19W 22 lks. dist. of
 a Beech 10 " " " S62E 28 " "
 45.80 a Beech 12 " " "
 52.50 a Brook 10 lks. wide Course S.E.
 80.00 Let a post Cor. to Sec. 25 & 36, from which
 a Beech 20 in. dia. bears S44W 16 1/2 lks. dist. of
 a Do 6 " " " N22W 15 " "
 This mile Over level Beech timbered land

North On E. boundary of Sec. 25, T5N, R4E.
 40.00 Let the q. Sec. post, from which
 a Dogwood 5 in. dia. bears N2W 10 lks. dist. of
 an Ironwood 6 " " " S17W 34 " "
 42.00 a Brook 10 lks. wide Course S.E.
 44.10 a W. Oak 20 in. dia.
 80.00 Let a post Cor. to Sec. 24 & 25, from which
 a W. Oak 15 in. dia. bears S34E 15 lks. dist. of
 a Maple 15 " " " N32E 31 " "
 This mile Over thin broken brush Oak
 timbered Soil

North On E. boundary of Sec. 24, T5N, R4E.

T5 N R4 E 2nd Mer. Indiana

- 40.00 Let the gr. Sec. post, from which
 a Beech 6 in. dia. bray 185 E 7 lks. dist. of
 a Dogw? 5 " " " N 17 W 18 " "
- 50.00 a Brook 15 lks. wide Course West
- 56.75 a Beech 20 in. dia.
- 80.00 Let a post Cor. to Sec. 13 of 24, from which
 a W. Oak 8 in. dia. bray 164 W 16 lks. dist
 a Do 14 " " " N 34 E 18 " "
 Land timber &c. same as on the last mile

North On E. boundary of Sec. 13, T5 N. R4 E.

- 20.00 a Brook 15 lks. wide Course West
- 24.04 a B. Oak 20 in. dia.
- 40.00 Let the gr. Sec. post, from which
 a W. Ash 12 in. dia. bray 147 W 11 lks. dist. of
 a Do 24 " " " N 47 E 18 " "
- 46.00 a Brook 15 lks. wide Course West
- 80.00 Let a post Cor. to Sec. 12 of 13, from which
 a Beech 10 in. dia. bray 114 W 23 lks. dist. of
 a Do 10 " " " N 22 W 22 " "
 Rolling land.

North On E. boundary of Sec. 12, T5 N. R4 E

- 25.50 a Spring run 10 lks. wide Course West
- 40.00 Let the gr. Sec. post, from which
 a Beech 20 in. dia. bray 180 E 8 lks. dist. of
 a Sugar 5 " " " N 20 W 8 " "
- 69.90 Let a post On Indian boundary, from which
 a Beech 20 in. dia. bray 139 W 20 lks. dist. of
 a Beech 6 " " " N 34 W 6 " "
 Rich level land Sept. Oct. 1st 1806.
- 80.00 Let a post Cor. to Sec. 11 of 12, from which
 a Beech 12 in. dia. bray 146 W 6 lks. dist. of
 a Do 6 " " " N 63 E 14 " "

North On E. boundary of Sec. 1, T5 N. R4 E.

T5N R4E 2^d Mer. Indiana

- 40.00 Let the gr. Sec. post, from which
a Sugar 10 in. dia. bran N15 E 37 lks. dist. of
a Do 10 " " " N67 E 27 " "
- 67.07 Let a post Cor. to Township, N: 5 & 6 North of
Range, N: 4 & 5 East, from which
at Beech 20 in. dia. bran N52 W 13 lks. dist. of
a Do 9 " " " S53 W 13 " "
- Over rich land, timber Beech, Oak &c.

North Boundary

- East On Rand^m. S. boundary of Sec. 31, T6N. R4E.
- 40.00 Let temp^y. gr. Sec. post
- 74.00 a Brook 12 lks. wide Course South
- 80.00 Let temp^y. Sec. post
- Land flat, timber Oak, Beech &c.

- East On Rand^m. S. boundary of Sec. 32, T6N. R4E
- 40.00 Let temp^y. gr. Sec. post
- 80.00 Let temp^y. Sec. post
- Land, timber &c. Same as on the last mile

- East On Rand^m. S. boundary of Sec. 33, T6N. R4E
- 40.00 Let temp^y. gr. Sec. post
- 80.00 Let temp^y. Sec. post
- Land timber &c. Same as on the last mile

- East On Rand^m. S. boundary of Sec. 34, T6N. R4E.
- 36.00 a Brook 75 lks. wide Course South
- 40.00 Let temp^y. gr. Sec. post
- 80.00 Let temp^y. Sec. post
- Land level, timber Beech, Oak, Hickory &c

- East On Rand^m. S. boundary of Sec. 35, T6N. R4E.
- 17.50 to White River
- 40.00 Let temp^y. gr. Sec. post
- 43.50 to White River

S 5 N R 4 E 2^d Mer. Indiana

80.00 On an offset towards the South, let temp.
Sec. post. —

East On Rand^m S. boundary of Sec. 36, T 6 N R 4 E
40.00 Let temp^y. g. Sec. post, on an offset towards S.
86.00 Intersected the N & S. line at the Town Corner.

West On true line S. boundary of Sec. 36, T 6 N R 4 E.
16.00 to a Payson 200 lbs. wide
40.00 Let the g. Sec. post, from which
a Hickory 7 in. dia. beam N 87 E 57 lbs. dist. of
a Hackberry 12 " " " S 26 W 43 " "
45.65 Let a post on Left bank of White R. from which
a Sycamore 20 in. dia. beam S 39 W 7 lbs. dist. of
an Elm 19 " " " N 9 W 11 " "
50.03 Let a post on the Right bank of River, from which
a Maple 8 in. dia. beam N 84 E 8 lbs. dist. of
a Willow 10 " " " S 46 W 3 " "
80.00 Let a post Co. to Sec. 35 of 36, T 6 N R 4 E, from which
an Elm 10 in. dia. beam S 81 E 39 lbs. dist. of
a W. Oak 8 " " " S 20 E 20 " "
Sand level & very rich, timber Walnut, Ash
Elm &c. underg^d. Spruce & prairie.

West On true line S. boundary of Sec. 35, T 6 N R 4
7.00 a W. Walnut 20 in. dia. Corner of River bank
23.00 Let a post on N.W. Side of the bend, from which
a Locust 20 in. dia. beam N 68 E 17 lbs. dist. of
a Red bud 8 " " " N 44 W 14 " "
40.00 Let the g. Sec. post on true line, from which
a Sycamore 10 in. dia. beam S 87 E 16 lbs. dist. of
a Cottonwood 12 " " " N 3 E 5 " "
On the River bank
45.54 to a Birch 10 in. dia. on Left bank of White R.
63.33 Let a post on Left bank of River again from which
a Sycamore 20 in. dia. beam South 10 lbs. dist. of

T5N R4E.2. Mer. Indiana

- a Sycamore 20 in. diam. bear North 7 lks. dist. of
 69.00 Set a post on right bank of River, from which
 a W. Oak 20 in. diam. bear N 5 W 19 lks. dist. of
 a Sugar 12 " " " N 38 E 12 " "
 80.00 Set a post Cor. to Sec. 34 & 35, T6 N. R4 E. from which
 a Sugar 8 in. diam. bear N 61 E 10 lks. dist. of
 a Beech 10 " " " N 56 W 16 " "

- Nest On true line S. boundary of Sec. 34, T6 N. R4 E.
 40.00 Set the gr. Sec. post on true line, from which
 a Hickory 15 in. diam. bear N 52 W 19 lks. dist. of
 an Elm 8 " " " N 32 E 5 " "
 80.00 Set a post, Cor. to Sec. 33 & 34, T6 N. R4 E. from which
 a Hickory 10 in. diam. bear N 26 W 5 lks. dist. of
 a Do 10 " " " N 50 E 14 " "

- Nest On true line S. boundary of Sec. 33, T6 N. R4 E.
 40.00 Set the gr. Sec. post on true line from which
 a Maple 10 in. diam. bear N 15 W 10 lks. dist. of
 an Elm 12 " " " N 63 E 21 " "
 80.00 Set a post Cor. to Sec. 32 & 33, T6 N. R4 E. from which
 a Hickory 12 in. diam. bear N 88 E 12 lks. dist. of
 no other tree

- Nest On true line S. boundary of Sec. 32, T6 N. R4 E.
 40.00 Set the gr. Sec. post on true line, from which
 a Gum 10 in. diam. bear S 79 E 4 lks. dist. of
 a B. Oak 24 " " " N 87 W 15 " "
 80.00 Set a post Cor. to Sec. 31 & 32, T6 N. R4 E. from which
 a Beech 10 in. diam. bear N 47 W 15 lks. dist. of
 a B. Oak 30 " " " N 75 W 14 " "

- Nest On true line S. boundary of Sec. 31, T6 N. R4 E.
 40.00 Set the gr. Sec. post, on true line, from which
 a Hickory 10 in. diam. bear N 32 E 12 lks. dist. of
 a Beech 10 " " " N 38 E 13 " "

T5 N. R4 E. 2^d. Mer. Indiana

86.29 To Township Corner on measurement

West Boundary

North On E. boundary of Sec. 36, T5 N. R3 E.

35.90 a Hickory 10 in. dia.

40.00 Let the q. Sec. post, from which

a P. Oak 40 in. dia. bear S 28 E 36 lks. dist. of

a Hickory 8 " " " N 52 W 7 " "

74.60 a Beech 20 " "

80.00 Let a post Cor. to Sec. 25 & 36, T5 N. R3 E. from which

a Beech 8 in. dia. supplies the place of post

This mile Over level rich land

North On E. boundary of Sec. 25, T5 N. R3 E.

21.85 Let a post on Indian boundary, from which

a P. Walnut 40 in. dia. bear S 3 E 24 lks. dist. of

a Blue Ash 6 " " " N 84 E 10 " "

October 2^d. 1806. var. 6.30 E

27.00 to White River

34.00 Let a post on Right bank of River, from which

a Red bud 6 in. dia. bear N 21 E 41 lks. dist.

40.00 Let the q. Sec. post, from which

a W. Oak 10 in. dia. bear S 86 W 16 lks. dist. of

a Red bud 5 " " " N 41 E 25 " "

58.40 a Locust 12 in. dia. on the River bank

71.00 Let a post on N. side of bend, from which

a Beech 6 in. dia. bear N 69 W 14 lks. dist. of

a Do 6 " " " S 83 E 10 " "

76.70 a Beech 20 " "

80.00 Let a post Cor. to Sec. 24 & 25, T5 N. R3 E. from which

a Beech 8 in. dia. bear S 4 E 47 lks. dist. of

a Do 8 " " " N 73 W 9 " "

Over level Beech timbered land.

North On E. boundary of Sec. 24, T5 N. R3 E.

40.00 Let the q. Sec. post from which

T5 N. R4 E. 2^d. Mer. Indiana

a Hackberry 15 in. diam. brany S53 E 25 1/4 dist. of
 a B. Walnut 28 " " " N71 W 34 " "
 80.00 a Maple 10 in. diam. Cor. to Sec. 13 of 24, T5 N.
 R3 E. Land timber &c. Same as last mile

North On E. boundary of Sec. 13, T5 N. R3 E.

40.00 a Maple 6 in. diam. of Sec. Corner.

80.00 Set a post Cor. to Sec. 12 & 13, T5 N. R3 E, from which
 an Ironwood 6 in. diam. brany S38 E 14 1/4 dist. of
 a Beech 12 " " " N20 E 16 " "
 Land flat timber (Maple, Beech, Oak &c.)

North On E. boundary of Sec. 12, T5 N. R3 E.

1.50 a W. Oak 10 in. diam.

40.00 Set the of. Sec. post, from which
 a Maple 12 in. diam. brany S2 E 34 1/4 dist. of
 a Beech 10 " " " N29 W 40 " "

52.00 a Brook 10 ft. wide Course East

80.00 Set a post Cor. to Sec. 1 of 12, T5 N. R3 E, from which
 a Beech 7 in. diam. brany S45 E 9 1/4 dist. of
 a Do 5 " " " N47 W 6 " "
 Land timber &c. Same as on the last mile

North On E. boundary of Sec. 1, T5 N. R3 E.

40.00 Set the of. Sec. post, from which

a Hickory 12 in. diam. brany N11 W 29 1/4 dist. of
 a W. Oak 10 " " " N1 E 23 " "

41.75 a Brook 10 ft. wide Course E.

76.50 a Brook 12 " " " E.

80.00 Set a post Cor. to Township N. 5 of 6 North
 Range N. 3 of 4 E, from which
 a Beech 12 in. diam. brany S5 W 47 1/4 dist. of
 a Do 12 " " " - 9 W 28 " "

Land timber &c. Same as last mile flat
 Surveyed by Arthur & Annie Dep. Sur.

T5 N. R4 E. 2. Mer. Indiana

Subdivision. May 21. 1803

North Between Sec. 35 & 36, T5 N. R4 E

40.00 Set the q. Sec. post, from which
a Maple 1 1/2 in. dia. bears N 23 E 11 lks. dist. of
a Beech 8 " " " S 22 W 30 "

80.00 Set a post cor. to Sec. 25, 26, 35 & 36, from which
a Sugar 18 in. dia. bears S 75 E 24 lks. dist. of
a Poplar 18 " " " S 64 W 21 "

Land hilly 3. rate farming land, timber
Beech, Chestnut, Oak, Sugar, W. B. Oak &c.

East On Land between Sec. 25 & 36, T5 N. R4 E.

40.00 Set temp. q. Sec. post

81.03 Intersected the E. boundary 146 lks. S. of post
Land very broken & hilly, very high & steep
3. rate farming land timber Same

West On true line between Sec. 25 & 36, T5 N. R4 E.

40.51 Set q. Sec. post at average dist. from which
a Chest. Oak 27 in. dia. bears S 29 W 22 lks. dist. of
a Do. 24 " " " S 83 E 18 " "

81.03 to Sec Corner.

North Between Sec. 25 & 26, T5 N. R4 E.

40.00 Set the q. Sec. post, from which
a Poplar 36 in. dia. bears N 87 E 14 lks. dist. of
a Chest. Oak 30 " " " N 80 W 54 "

80.00 Set a post cor. to Sec. 23, 24, 25 & 26, from which
a W. Oak 7 in. dia. bears S 57 W 9 lks. dist. of
a Do. 7 " " " N 54 E 25 "

This mile 3. rate hills, timber Same

East On Land between Sec. 24 & 25, T5 N. R4 E ran 10.6

40.00 Set temp. q. Sec. post

81.63 Intersected the E. boundary, 165 lks. S. of post
This mile very broken & hilly, timber same, rocky 3. rate

S5 N. R4 E. 2^d. Mer. Indiana

West Out true line between Sec. 24 & 25, S5 N. R4 E.
 40.81 Set of. Sec. post at average dist. from which
 a W. Oak 15 in. diam. bran S57°W 18 lks. dist. of
 a Maple 10 " " " S88°E 11 " "
 81.63 to Sec. Corner

North Between Sec. 23 & 24, S5 N. R4 E. var. 5.30. E.
 40.00 Set the of. Sec. post, from which
 a Chest. Oak 14 in. diam. bran S27°W 14 lks. dist. of
 a Llo 11 " " " North 5 " "
 79.50 a small brook N.W.
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which
 a Sugar 10 in. diam. bran N47°W 29 lks. dist. of
 a Llo 14 " " " S49°E 31 " "
 Land timber &c. same as on the last mile

East On land betw. Sec. 13 & 24, S5 N. R4 E. var. 11.00 E.
 33.00 at Brook 10 lks. wide Course N.W.
 40.00 Set temp. of. Sec. post
 80.50 Intersected the E. boundary 498 lks. N. of post
 This mile rolling land, timber Oak, Beech, Sug.
 Hackberry &c. (middling good farming land)

West On true line between Sec. 13 & 24, S5 N. R4 E.
 40.25 Set of. Sec. post at average dist. from which
 a W. Ash 15 in. diam. bran S35°W 19 lks. dist. of
 a Beech 8 " " " N28°E 23 " "
 80.50 to Sec. Corner.

North Between Sec. 13 & 14, S5 N. R4 E.
 13.50 a Creek 15 lks. wide Course N.W.
 40.00 Set the of. Sec. post, from which
 a Beech 9 in. diam. bran S17°W 5 lks. dist. of
 a Llo 8 " " " N83°E 18 " "
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
 an Elm 11 in. diam. bran N6°W 24 lks. dist. of

S5 N. R4 E. 2^d. Mer. Indiana

an Elm 5 mi. dist. bears S61 W 10 lks. dist.
Land timber &c. same as on the last mile.

East On Land 9th between Sec. 12 & 13, S5 N. R4 E. var. 9th E.
35.00 a Small Brook Course S. E.
38.00 a do do " S. E.
40.00 Set temp. q. Sec. post
79.90 Intersected the E. boundary 225 lks. N. of
post. This mile part rolling and part level
timber Beech, Poplar, Ash &c. good farming land.

West On true line between Sec. 12 & 13, S5 N. R4 E.
39.95 Set q. Sec. post at average dist. from which
a Beech 24 mi. dist. bears S86 E 21 lks. dist. of
a do 18 " " " West 32 " "
79.90 to Sec. Corner.

North Between Sec. 11 & 12, S5 N. R4 E.
19.12 Intersected Indian boundary Set post, from which
a Beech 14 mi. dist. bears S61 W 10 lks. dist. of
a do 12 " " " N86 E 49 " "
Land rolling timber same, good farming land
34.15 a Beech 20 mi. dist.
40.00 Set the q. Sec. post, from which
a Sugar 8 mi. dist. bears N23 W 23 lks. dist. of
a Elm 20 " " " N23 E 3 " "
45.75 a Spring run 5 lks. wide Course West
80.00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
a Sugar 8 mi. dist. bears N27 W 30 lks. dist. of
a Maple 8 " " " N56 W 15 " "
Good farming land, timber Beech, Sugar &c.

East On Land 9th between Sec. 11 & 12, S5 N. R4 E. var. 9th E.
40.00 Set temp. q. Sec. post
80.72 Intersected the E. boundary 8 lks. N. of post
Land rich, timber Beech, Poplar, oak, hickory &c.

T5 N - R4 E. 2^d. Mer. Indiana

West On true line between Sec. 1 & 12, T5 N. R4 E.
 40.36 Set of. Sec. post at average dist. from which
 a Buckeye 10 in. diam. bears N19 W 12 lbs. dist. of
 a Beech 12 " " " N68 E 12 " "
 80.72 to Sec. Corner.

North Between Sec. 1 & 2, T5 N. R4 E. 2^d. Mer.
 40.00 Set the of. Sec. post, from which
 a Beech 20 in. diam. bears S77 W 32 lbs. dist. of
 a Do 15 " " " N25 E 12 " "
 50.00 Set a post on Left bank of White river, from which
 a Maple 10 in. diam. bears N2 E 28 lbs. dist. of
 an Elm 10 " " " S27 W 30 " "
 Land timber &c. same as on the last mile

May 22^d. 1807. variation 6.40' E.

North Between Sec. 34 & 35, T5 N. R4 E.
 2.00 a Brook 15 lbs. wide Course West
 40.00 Set the of. Sec. post, from which
 a W. Oak 24 in. diam. bears N18 E 25 lbs. dist. of
 a Beech 14 " " " N18 W 44
 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which
 a B. Oak 27 in. diam. bears N19 E 11 lbs. dist. of
 a Dogwood 6 " " " S39 W 35.
 This mile up a small brook bottom level, timber
 Beech, Sugar, Ash, Poplar &c.

East On Ran 8^m. between Sec. 26 & 35, T5 N. R4 E. var. 6.40'
 40.00 Set temp. of. Sec. post
 79.47 Intersected the N & S. line 85 lbs. N. of post
 This mile very hilly, timber on the hills is
 principally Chestnut Oak & in the hollows Beech,
 Poplar, W. O. Oak, Sugar &c

West On true line between Sec. 26 & 35, T5 N. R4 E.
 39.73 1/2 Set of. Sec. post at average dist. from which

T5 N. R4 E. 2^d. Mer. Indiana

a Beech 4 in. dia. - beam 145 E 9 lks. dist. of
 a do 9 " " " N 17 W 33 " "
 79.47 to Sec. Corner

North Between Secs. 26 & 27, T5 N. R4 E. var. 6.10. E
 40.00 Set the q. Sec. post, from which
 a Beech 24 in. dia. - beam 164 E 9 lks. dist. of
 a do 16 " " " N 47 W 49 " "
 80.00 Set a post Corner to Secs. 22, 23, 26 & 27, from
 which a Hickory 9 in. dia. - beam 149 W 29 lks. dist. of
 a do 6 " " " N 66 E 58 " "
 Land timber &c. same as on the last mile

East On Rand. betw. Secs. 23 & 26, T5 N. R4 E. var. 9. E.
 33.00 a Small Brook Corner North
 40.00 Set temp. q. Sec. post
 79.03 Intersected the N & S. line 44 lks. N. of post
 This mile rolling land, timber Oak, Hickory
 Beech &c. poor farming land.

West On true line between Secs. 23 & 26, T5 N. R4 E.
 39.51 1/2 Set q. Sec. post at average dist. from which
 a W. Oak 12 in. dia. - beam 165 E 19 lks. dist. of
 a do 10 " " " N 8 W 22 " "
 79.03 to Sec. Corner

North Between Secs. 22 & 23, T5 N. R4 E. var. 6.00. E
 40.00 Set the q. Sec. post, from which
 a Logwood 5 in. dia. - beam N 39 W 21 lks. dist. of
 a Hickory 6 " " " N 67 E 30 " "
 57.50 a Brook 20 lks. wide Course West
 79.50 a Creek 30 lks. " " N.W.
 80.00 Set a post Cor. to Secs. 14, 15, 22 & 23, from which
 an Elm 9 in. dia. - beam 167 E 13 lks. dist. of
 a do 7 " " " N 86 W 6 " "
 The 1st 1/2 mile Broken & poor - the last 1/2 river

T5 N R4 E, 2^d Mer. Indiana

bottom, rich and good farming land timber Beech,
Sugar, Poplar, Ash &c.

East On Rand. between Sec. 14 & 23, T5 N, R4 E

36.50 a Creek 20 lks. wide Course S. W.

38.00 a Do 20 lks. " " S. W.

40.00 Set temp. q. Sec. post

40.50 a Creek 20 lks. wide Course S. W.

42.00 a Do 20 lks. " " S. W.

80.12 Intersected the N & S. line 59 lks. N. of post

This mile Creek bottom good farming land
timber same as on the last mile

West On true line between Sec. 14 & 23, T5 N, R4 E.

40.06 Set the q. Sec. post, at average dist. from which

a W. Beech 7 in. dia. bears S 87 E 11 lks. dist. of

a Do 3 " " " N 37 W 10 " "

80.12 to Sec. Corner

North Between Sec. 14 & 15, T5 N, R4 E

40.00 Set the q. Sec. post, from which

a Beech 27 in. dia. bears S 71 W 21 lks. dist. of

a Do 14 " " " N 63 E 35 " "

50.68 Intersected the Indian boundary Set post, from which

a Sugar 18 in. dia. bears S 71 E 27 lks. dist. of

a Beech 24 " " " N 64 W 12 " "

this mile Middling good farming land, timber
Beech, Sugar, Poplar &c.

55.00 a Spring run 8 lks. wide Course S. W.

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which

a Beech 38 in. dia. bears S 10 E 16 lks. dist. of

a Do 7 " " " N 51 W 5 " "

Land rich timber Oak, Beech, Poplar &c. under office

East On Rand. between Sec. 14 & 15, T5 N, R4 E.

40.00 Set temp. q. Sec. post

T5 N. R4 E. 2^d. Mer. Indiana

81.91 Intersected the N & S. line - 1/2 m. S. of post
Sand timber &c. Same as on the last mile

West On true line between Sec. 11 & 14, T5 N. R4 E. var. 8.30.

*40.95 1/2 Let q. Sec. post at average dist. from which
a Beech 10 in. dia. beam N14 E 5 lks. dist. of
a Poplar 40 " " " N14 W 13 " "

*32.56 Intersected the Indian boundary, let post, from which
a Beech 8 in. dia. beam N79 E 11 lks. dist. of
a Poplar 48 " " " N48 W 7 " "

81.91 to Sec. Corner.

North Between Sec. 10 & 11, T5 N. R4 E.

16.50 a Poplar 30 in. dia.

28.50 a Spring run 8 lks. wide course N.W.

40.00 Let the q. Sec. post, from which
a Beech 10 in. dia. beam N77 W 8 lks. dist. of
a Do 6 " " " N39 W 26 " "

80.00 Let a post Cor. to Sec. 2, 3, 10 & 11, from which
a Poplar 12 in. dia. beam N78 E 26 lks. dist. of
a W. Ash 34 " " " N18 E 34 " "
Sand timber &c. Same as on the last mile

East On Rand. between Sec. 2 & 11, T5 N. R4 E.

40.00 Let temp. q. Sec. post

80.26 Intersected the N & S. line at the post
Good farming land, timber Beech, Oak, Poplar &c.

West On true line between Sec. 2 & 11, T5 N. R4 E.

40.13 Let q. Sec. post at average dist. from which
a W. Oak 12 in. dia. beam S29 E 3 lks. dist. of
a Buckeye 12 " " " N3 W 17 " "

80.26 to Sec. Corner. var. 8.45. E

North Between Sec. 2 & 3, T5 N. R4 E.

15.00 Let a post on left bank of River, from which

S. N. R. 4 E. 2^d. Mer. Indiana

a Hackberry 6 in. dia. bray N 8 W 23 lks. dist. of
a Box Elder 12 " " " N 80 W 22 " "
Good farming land, timber Beech, Oak, Poplar &c

May 23^d. 1807. var. 6. 40. 'E.

North Between Sec. 33 & 34, S. N. R. 4 E.

40.00 Set the gr. Sec. post, from which
a Hickory 6 in. dia. bray S 37 W 25 lks. dist. of
a B. Oak 32 " " " N 64 E 6 " "

79.75 a Small Spring Branch Corner S. E.

80.00 Set a post Cor. to Sec. 27, 28, 33 & 34, from which
a Sugar 14 in. dia. bray S 2 E 33 lks. dist. of
a Dogw. 6 " " " N 55 E 15 " "
Land part rolling & part hilly, timber Oak
& Hickory, poor farming land.

East On Rand. betw. Sec. 27 & 34, S. N. R. 4 E, var. 9. 00. 'E

40.00 Set temp. gr. Sec. post

79.81 Intersected the N. S. line 14 3/4 lks. S. of post
This mile 3^d. rate hilly, timber Chest. Oak &c.

West On true line between Sec. 27 & 34, S. N. R. 4 E.

39.90 1/2. Set gr. Sec. post at average dist. from which
a Chest. Oak 12 in. dia. bray N 41 E 6 lks. dist. of
a B. Gum 9 " " " N 13 E 19 " "

79.81 to Sec. Corner.

North Between Sec. 27 & 28, S. N. R. 4 E. var. 6. 10. 'E

40.00 Set the gr. Sec. post, from which
a Dogwood 6 in. dia. bray S 26 E 23 lks. dist. of
an Ironwood 4 " " " N 2 E 19 " "

80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which
a W. Oak 18 in. dia. bray S 5 E 41 lks. dist. of
a Sugar 16 " " " N 22 W 41 " "
Land timber &c. Same as on the last mile

T5 N. R4 E. 2^d. Mer. Indiana

East On Land^m. between Sec. 22 & 27, var. 9.00' E

40.00 Set temp. q. Sec. post

79.70 Intersected the N of S. line 6 1/2 hrs. S. of post
Land very hilly & very brushy, timber same
3^d. rate Soil.

West On true line between Sec. 22 & 27, T5 N. R4 E.

39.85 Set q. Sec. post at average dist. from which
a P. Oak 26 in. dia. bray N 31 1/2 E 68 lbs. dist. 1/2
a Hickory 6 " " " N 39 1/2 E 46 " "

79.70 to Sec. Corner.

North Between Sec. 21 & 22, T5 N. R4 E.

40.00 Set the q. Sec. post, from which

a W. Ash 24 in. dia. bray N 66 W 11 lbs. dist. 1/2

a Beech 30 " " " N 73 E 34 " "

80.00 Set a post cor. to Sec. 15, 16, 21 & 22, from which

a W. Oak 30 in. dia. bray N 6 W 80 lbs. dist. 1/2

a P. Gum 18 " " " N 10 E 34 " "

This mile rolling land, timber same first
rate farming land, thick Spruce maple.

East On Land^m. between Sec. 15 & 22, T5 N. R4 E

40.00 Set temp. q. Sec. post

44.00 a Spring branch 6 hrs. wide course East

73.50 a Brook 10 hrs. wide course N. E.

79.53 Intersected the N of S. line 24 hrs. S. of post.
Land timber &c. same as on the last mile

West On true line between Sec. 15 & 22, T5 N. R4 E.

39.75 Set q. Sec. post at average dist. from which

a Beech 12 in. dia. bray N 73 E 23 lbs. dist. 1/2

a P. Gum 15 " " " N 8 E 14 " "

79.53 to Sec. Corner. var. 9.30' E

North Between Sec. 15 & 16, T5 N. R4 E. var. 6.00' E

T5 N. R4 E. 2^d Mer. Indiana

- 4.78 intersected the Indian boundary, let post from which
 a Beech 11 in. dia. bran N 20 E 27 lks. dist. of
 a Do 11 " " " N 16 W 18 " "
- 40.00 let the gr. Sec. post. from which
 a W. Oak 12 in. dia. bran N 23 E 24 lks. dist. of
 a Do 12 " " " S 2 W 24 " "
- 44.10 at Brook 30 lks. & wide Course N. W.
- 80.00 let a post Cor. to Sec. 9, 10, 15 & 16, from which
 a Hackberry 12 in. dia. bran N 3 E 43 lks. dist. of
 a Hickory 8 " " " S 78 E 7 " "
 Good farming land, timb. Beech, Oak, Poplar &c.

East On Rand^m. between Sec. 10 & 15, T5 N. R4 E.

- 40.00 let temp^y. gr. Sec. post
 79.95 intersected the N of S. line 100 lks. S. of post
 Sand timber &c. same as on the last mile

West On true line between Sec. 10 & 15, var. 9.30' E.

- 39.97 1/2 let gr. Sec. post at average dist. from which
 an Ironwood 7 in. dia. bran N 35 W 25 lks. dist. of
 an Elm 10 " " " N 26 E 21 " "
 79.95 to Sec. Corner.

North Between Sec. 9 & 10, T5 N. R4 E.

- 20.12 let a post on left bank of W. River from which
 a Beech 8 in. dia. bran N 56 W 10 lks. dist. of
 a Buckeye 7 " " " S 21 E 15 " "
 Sand timber &c. same as on last mile

May 24th. 1807. var. 6.40' E

North Between Sec. 32 & 33, T5 N. R4 E

- 40.00 let the gr. Sec. post. from which
 a Poplar 17 in. dia. bran N 16 W 36 lks. dist. of
 a W. Oak 18 " " " N 30 E 70 " "
 80.00 let a post Cor. to Sec. 28, 29, 32 & 33, from which
 a W. Oak 12 in. dia. bran N 12 E 29 lks. dist. of

T5N R4E 2^d Mer. Indiana

a W. Oak 15 in. dia. - bray 54 11 17 lbs. dist. of
This mile a little rolling, timber principally
Oak, Hickory & Poplar, good wheat land

East On Rand. between Sec. 28 & 33, T5N R4E. var. 9.00' E.

40.00 Set temp. of Sec. post

80.62 Intersected the N & S. line 62 lbs. N. of post
Land timber &c. same as on last mile

West On true line between Sec. 28 & 33, T5N R4E.

40.31 Set of Sec. post at average dist. from which

a P. Oak 20 in. dia. - bray N 69 11 18 lbs. dist. of

a Do 27 " " " N 70 E 53 " "

80.62 Section Corner.

North Between Sec. 28 & 29, T5N R4E, var. 6.05' E

40.00 Set the of Sec. post, from which

a P. Oak 24 in. dia. - bray N 34 11 9 lbs. dist. of

a Do 20 " " " N 78 E 16 " "

80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which

a Beech 11 in. dia. - bray S 53 E 11 lbs. dist. of

a W. Oak 36 " " " N 65 11 6 " "

This mile level, timber same, good farming land

East On Rand. between Sec. 21 & 28, T5N R4E

30.00 a Branch 10 lbs. wide Course S. W.

40.00 Set temp. of Sec. post

63.00 a small brook Course S. W.

80.73 Intersected the N & S. line 120 lbs. N. of post

Land rolling, timber Beech, Sugar, Poplar
ash &c. good farming land.

West On true line between Sec. 21 & 28, T5N R4E.

40.36 Set of Sec. post at average dist. from which

a P. Oak 18 in. dia. - bray S 34 E 5 lbs. dist. of

a Beech 12 " " " N 29 E 4 " "

T5 N. R4 E. 2nd Mer. Indiana

80.73 to Section Corner.

North Between Sec. 20 & 21, T5 N. R4 E.

36.38 Intersected the Indian boundary let post, from which a Beech 30 in. dia. bran N 72° W 30 lks. dist. & a Do 12 " " " North 47 " "

This mile level, timber same, good farm. land
40.00 let the gr. Sec. post, from which a Poplar 4 in. dia. bran N 74 lks. dist. & a Beech 6 " " " N 89° W 14 " "

50.00 to the N. side of wet brushy ground 15 chains wide

80.00 let a post Cor. to Sec. 16, 17, 20 & 21, from which a Sugar 6 in. dia. bran N 45° E 9 lks. dist. & a Do 7 " " " S 27° W 34 " "
Land level, timber Beech, Sugar &c

East On Range between Sec. 16 & 21, T5 N. R4 E.

40.00 let temp. gr. Sec. post

81.48 Intersected the N & S. line 13 lks. N. of post
Land timber &c. same as on the last mile

West On true line between Sec. 16 & 21 var. 9° E

7.98 intersected the Indian boundary let post, from which a R. Gum 18 in. dia. bran N 46° E 14 lks. dist. & a Beech 10 " " " S 37° W 17 " "
Good farming land

40.74 let gr. Sec. post at average dist. from which a Beech 10 in. dia. bran S 70° E 28 lks. dist. & a Do 8 " " " S 37° W 8 " "

81.48 to Section Corner.

North Between Sec. 16 & 17, T5 N. R4 E

15.50 let a post on left bank of W. River, from which a Hackberry 20 in. dia. bran N 66° W 21 lks. dist. & a Locust 20 " " " N 20° E 9 " "

T5 N. R4 E. 2^d Mer.

Sand timber &c. Same as on last mile

West Between Sec. 3 & 10, T5 N. R4 E.

21.69 Set a post on Left bank of River from which
a Hickory 5 in. dia. bran S 50 E 11 lks. dist. of
an Ash 8 " " " N 14 W 8 " "
Good farming land, timber Beech, Oak & Poplar

West Between Sec. 9 & 16, T5 N. R4 E.

20.76 Set a post on left bank of White river from which
a Buckeye 10 in. dia. bran S 49 E 13 lks. dist. of
an Ironwood 5 " " " S 5 W 8 " "
Sand timber &c. Same as on the last mile

May 25th 1807

North Between Sec. 31 & 32, T5 N. R4 E.

21.00 a Small brook Course S. W.

40.00 Set the q. Sec. post, from which
a P. Oak 27 in. dia. bran S 8 E 30 lks. dist. of
a Hickory 6 " " " North 20 " "

80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which
a W. Oak 15 in. dia. bran S 9 W 31 lks. dist. of
an Elm 14 " " " N 12 W 43 " "
Sand & live timber Oak & Hickory good wheat
land Sandy Soil

East On Ran. 9th between Sec. 29 & 32 var. 9.00 E

40.00 Set temp. q. Sec. post

40.50 a Small brook Course N. W.

79.83 Intersected the N & S. line 3 lks. S. of post
Sand & timber Same good farming land.

West On true line between Sec. 29 & 32, T5 N. R4 E.

39.91 1/2 Set q. Sec. post at average dist. from which
a P. Oak 32 in. dia. bran S 40 E 35 lks. dist. of
a W. Oak 24 " " " N 9 E 33 " "

S. N. R4E. 5th Mer. Indiana

79.83 to Section Corner

West Between Secs. 30 & 31, S. N. R4E. var. 9.00'E
 40.00 Set the g. Sec. post, from which
 a P. Haw 7 in. dia. bray N 87 E 4 lks. dist. of
 a Beech 20 " " " N 57 W 27 " "
 78.34 Intersected the N. boundary 133 lks. S. of post
 Set a post Cor. to Secs. 30 & 31, from which
 a Beech 10 in. dia. bray N 25 E 23 lks. dist. of
 a Do 7 " " " N 53 W 40 " "
 This mile river bottom & 1st rate farming land, timber.
 Beech, Sugar, Poplar, Ash, Walnut, Hackberry &c.

North Between Secs. 29 & 30, S. N. R4E. var. 6.00'E
 40.00 Set the g. Sec. post, from which
 a Beech 30 in. dia. bray N 8 E 32 lks. dist. of
 a Do 18 " " " N 8 W 46 " "
 68.70 intersected the Indian boundary, set post, from which
 a Beech 18 in. dia. bray N 85 E 3 lks. dist. of
 a Do 30 " " " N 17 W 31 " "
 Sand timber &c. same 1st rate farming land
 80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from which
 an Ironwood 6 in. dia. bray N 83 W 12 lks. dist. of
 a Hackberry 18 " " " N 47 W 28 " "
 Land rich and level.

East On Randon between Secs. 20 & 29, S. N. R4E.
 40.00 Set temp. g. Sec. post
 80.82 intersected the N. S. at Sec. Corner
 Land timber &c. same as on the last mile

West On truneline between Secs. 20 & 29, S. N. R4E.
 40.41 Set g. Sec. post at average dist. from which
 a B. Walnut 10 in. dia. bray N 14 E 29 lks. dist. of
 an Elm 5 " " " N 19 E 9 " "
 63.33 intersected the Indian boundary, set post, from which

T5 N. R4 E 2^d. Mer. Indiana

a Beech 12 in. dia. bray S10 W13 lbs. dist. of
 a Do 13 " " " N88 E 29 " "
 80.82 to Sec. Corner.

North Between Secs. 19 & 20, T5 N. R4 E.

29.00 Set a post on left bank of W. River from which
 an Ironwood 7 in. dia. bray S40 E 21 lbs. dist. of
 a Sugar 20 " " " S48 W13 " "
 Sand timber &c. Same as on last mile

West Between Secs. 17 & 20, T5 N. R4 E.

17.40 an Ash 20 in. dia.

29.18 a Beech 20 in. dia. Stand for post on
 the bank of White River

West Between Secs. 19 & 30, T5 N. R4 E.

23.00 Set a post on the left bank of river from which
 a Sugar 12 in. dia. bray N50 E. 10 lbs. dist. of
 a Do 12 " " " S57 E 15 " "
 Sand timber &c. Same as on line between 20 & 21

South Between Secs. 18 & 2, T5 N. R4 E.

5.65 an Elm 12 in. dia. Cor. on the River

South Between Secs. 26 & 3, T5 N. R4 E.

7.30 an Elm 12 in. dia.

30.00 touched West bend of the River

40.00 Set the q^r. Sec. post, from which
 a Mulberry 18 in. dia. bray N71 E 17 lbs. dist. of
 a B. Walnut 12 " " " N22 W 24 " "

45.84 Set a post on right bank of River from which
 a Cottonwood 8 in. dia. bray N18 W12 lbs. dist. of
 Sand rich

South Between Secs. 3 & 4, T5 N. R4 E.

24.00 an Elm 15 in. dia. ~~tree~~ in the line

T5 N. R4 E. 2^d Mer. Indiana

- 40.00 Set the q^r. Sec. post, from which
a Beech 18 in. dia. beam N19°W41 lbs. dist. of
an Iron 6 " " " S66°W20 " "
- 80.00 Set a post Cor. to Secs. 3, 4, 9 & 10, from which
an Ash 10 in. dia. beam N25°W16 lbs. dist. of
a Beech 10 " " " N83°E19 " "
Land rich and level.

East Between Secs. 3 & 10, T5 N. R4 E.

- 40.00 Set the q^r. Sec. post on River bank, from which
a Beech 18 in. dia. beam S60°W11 lbs. dist. of
a Sugar 12 " " " N3°W15 " "
Land timber &c. same as on the last mile

South Between Secs. 9 & 10, T5 N. R4 E.

- 40.00 Set the q^r. Sec. post, from which
a ~~Ash~~^{Beech} 6 in. dia. beam N10°W21 lbs. dist. of
a Buckeye 8 " " " S10°E21 " "
- 42.26 Set a post on right bank of river, from which
a Hickory 10 in. dia. beam S30°W16 lbs. dist. of
an Ash 8 " " " N76°W6 " "
Land timber &c. same as on the last mile

South Between Secs. 4 & 5, T5 N. R4 E.

- 40.00 Set the q^r. Sec. post, from which
a Maple 8 in. dia. beam N11°W47 lbs. dist. of
a B. Oak 30 " " " N39°W30 " "
- 80.00 Set a post Cor. to Secs. 4, 5, 8 & 9, from which
a Hickory 12 in. dia. beam N8°W8 lbs. dist. of
a Do 10 " " " S68°E16 " "
(description Omitted)

East on R. & 2^d between Secs. 4 & 9, T5 N. R4 E.

- 20.00 a water course South
- 40.00 Set temp. q^r. Sec. post
- 80.00 Intersected the N. of line 8 lbs. N. of post

T5 N. R4 E. 2^d. Mer. Indiana
 Sand level timber Oak, hickory, ash & hackberry

West On true line between Sec. 4 & 9, T5 N. R4 E.
 40.00 Set of. Sec. post at average dist. from which
 a W. Ash 18 in. dia. bears N 81 E 11 1/2 lbs. dist. 4
 a Do 20 " " " N 24 W 18 " "
 80.00 to Sec. Corner

South Between Sec. 8 & 9, T5 N. R4 E.
 13.70 a Cherry 20 in. dia.
 40.00 Set the of. Sec. post, from which
 a Beech 20 in. dia. bears N 33 W 10 lbs. dist. 4
 a Do 15 " " " S 43 E 19 " "
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a Hackberry 10 in. dia. bears N 19 E 38 lbs. dist. 4
 a Red Bud 8 " " " N 12 W 8 " "
 Sand level and rich. -

East Between Sec. 9 & 16, T5 N. R4 E.
 40.00 Set the of. Sec. post, from which
 an Elm 20 in. dia. bears N 56 W 40 lbs. dist. 4
 a Lycamore 19 " " " N 77 E 26 " "
 44.00 a Maple 6 " " Corner of Sec. 9 & 16 on River
 Bank - (Description omitted)

South Between Sec. 16 & 17, T5 N. R4 E.
 10.00 to a Pond 3 chains wide
 40.00 Set the of. Sec. post (bearings omitted)
 50.50 to the River bank (no bearings taken)
 Sand &c. Same as on last mile.

South Between Sec. 5 & 6, T5 N. R4 E.
 40.00 Set the of. Sec. post, from which
 a Beech 12 in. dia. bears N 27 W 5 lbs. dist. 4
 a Do 10 " " " S 3 E 20 " "
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which

T5 N. R4 E. 2nd Mer. Indiana

an Ash 6 in dia. bray S30 W 11 lks. dist. of
an Ironw. 6 " " " S61 W 10 " "
Sand flat timber Elm, Ash & Maple

East On Ran 8th between Sec. 5 & 8, T5 N. R4 E

40.00 Set tempy. gr. Sec. post

80.00 Set tempy. Intersected the N & S. line 8 lks. S. of post
Sand timber &c. Same as on the last mile

West On true line between Sec. 5 & 8, T5 N. R4 E.

40.00 Set the gr. Sec. post at average dist. from which
a Hickory 20 in. dia. bray N72 W 12 lks. dist. of
an Elm 12 " " " S68 E 19 " "

80.00 to Sec. Corner.

South Between Sec. 7 & 8, T5 N. R4 E.

40.00 Set the gr. Sec. post, from which
a Beech 6 in. dia. bray S32 E 21 lks. dist. of
a W. Ash 10 " " " S31 W 26 " "

80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 10 in. dia. bray N85 E 30 lks. dist. of
a do 10 " " " S5 E 12 " "
Sand flat (most part covered with water)

East On Ran 8th between Sec. 8 & 17, T5 N. R4 E.

40.00 Set tempy. gr. Sec. post

80.00 Intersected the N & S. line 9 lks. N. of post
Sand level timber Beech, Ash &c.

West On true line between Sec. 8 & 17, T5 N. R4 E

40.00 Set gr. Sec. post at average dist. from which
a Beech 6 in. dia. bray N32 E 7 lks. dist. of
a do 10 " " " S47 E 12 " "

80.00 to Sec. Corner.

South Between Sec. 17 & 18, T5 N. R4 E.

T5 N. R4 E. 2. Mer. Indiana

35.40 an Elm 15 in. dia. stands in the line
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. dia. bears North 9 lks. dist. of
 a Hackberry 19 " " " N 9 E 34 " "
 74.00 Set a post on right bank of River, from which
 a Sugar 12 in. dia. bears N 18 E 18 lks. dist. of
 a Do 9 " " " N 40 W 15 " "
 Land timber &c. Same as on the last mile

East Between Sec. 18 & 19, T5 N. R4 E.
 40.00 Set the q. Sec. post, from which
 a Beech 6 in. dia. bears N 79 W 7 lks. dist. of
 a Sugar 8 " " " S 35 E 14 " "
 78.22 Set a post on right bank of R. river, from which
 a Red bud 6 in. dia. bears S 55 W 7 lks. dist. of
 a W. Oak 10 " " " N 56 E 9 " "
 (Description of land & timber omitted)

East Between Sec. 19 & 30, T5 N. R4 E.
 20.04 a Hackberry 24 in. dia.
 40.00 Set the q. Sec. post, from which
 a B. Walnut 10 in. dia. bears S 88 E 11 lks. dist. of
 a Beech 20 " " " S 87 W 41 " "
 51.00 a Maple 10 " " Corner on the right
 bank of White River.
 Land level, timber Beech, Ash & Walnut

West Between Sec. 6 & 7, T5 N. R4 E.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bears N 83 E 21 lks. dist. of
 a Do 12 " " " S 86 W 27 " "
 85.00 Intersected the W. boundary 22 lks. N. of post
 a Beech 10 in. dia. bears N 10 E 11 lks. dist. of
 a Do 5 " " " S 12 W 18 " "
 Land timber &c. Same as on last mile

T5N R4E. 30 Mer. Indiana

West Between Sec. 7 & 18 T5N. R4E.
 40.00 Let the 97. Sec. post, from which
 a Sweet Gum 20 in. dia. bray N67E 1/2 hr. dist. &
 a Hickory 24 " " " N15W 5 " "
 84.00 Entered the W. boundary 18 hrs. N. of post
 Let a post Cor. to Sec. 7 & 18, from which
 a Beech 10 in. dia. bray N69E 6 hrs. dist. &
 a maple 15 " " " N69W 31 " "
 Sand timber &c. Same as on the last mile

Meanders of the Left Bank of White
 River, up stream from the corner on the
 Range line between Ranges 3 & 4 E. var. E. 30!

181 E 6.50 in Sec. 30, T5N. R4E.
 N70 E 11.50
 N28 E 12.50
 N34W 24.50
 N8W 13.00
 S87E 9.00
 S53 E 24.50
 S47 E 12.00
 N85E 12.00
 N50 E 10.00
 N6 E 11.50
 N29W 10.50
 N55W 5.50 to line between Sec. 19 & 30

N55W 17.50 in Sec. 19, T5N. R4E.
 N71W 17.00
 N34W 13.00
 N21 E 12.00
 S84 E 15.00
 S75 E 5.50
 S81 E 32.50
 S89 E 4.00 to line between Sec. 19 & 20

T5 N. R4 E. 2^d Mer. Indiana

S85 E 14.50	in Sec. 20, T5 N. R4 E.
N51 E 21.00	
N5 E 16.50	
N54 W 32.50	
N43 E 4.00	
S75 E 10.50	
S71 E 9.50	
N85 E 15.00	
N58 E 6.50	
N38 E 5.00	to line between Sec. 17 & 20

N30 E 12.00	in Sec. 17, T5 N. R4 E
N41 W 38.00	
N72 E 8.50	
S43 E 27.50	
S60 E 14.50	
N80 E 8.90	to line between Sec. 16 & 17

N40 E 9.00	in Sec. 16, T5 N. R4 E.
N67 E 6.00	
N39 E 10.00	
S21 E 12.50	
S75 E 12.00	
N49 E 40.00	
N2 W 2.81	to a Brook 30 ft. wide
N2 W 4.19	
N40 W 21.50	
N55 E 7.50	
N33 E 7.00	
N12 E 4.80	to line between Sec. 9 & 16

North 6.00	in Sec. 9, T5 N. R4 E.
N16 W 17.50	
N27 E 8.50	
S56 E 7.00	
S39 E 3.00	

T5 N. R4 E. 2^d. Mer. Indiana

S58 E 8.00
 N79 E 5.00
 N78 E 2.28 to line between Sec. 9 & 10

N63 E 12.50 in Sec. 10, T5 N. R4 E.
 N47 E 12.50 to a Bayou
 N47 E 7.50
 N29 E 11.50 at 5.00 head of Bayou
 N73 E 10.50
 N30 E 35.30 to line between Sec. 9 & 10

N30 E 9.00 in Sec. 3, T5 N. R4 E.
 N2 E 16.00
 N22 W 26.50
 N81 E 9.00
 S29 E 12.50
 S5 E 13.50
 S28 E 8.00
 S60 E 5.00
 S88 E 2.35 to line between Sec. 2 & 3

N74 E 9.00 in Sec. 2, T5 N. R4 E.
 N20 E 6.50
 N2 W 3.00
 N22 W 14.50
 N45 E 11.50
 N24 E 4.00
 N12 E 11.50
 N1 E 3.64 to post in N. boundary of T5 N. R4 E.

S50 W 5.50 from post in N. boundary E. side of bend (Sec. 2)
 S7 E 7.35
 S35 E 8.00
 S87 E 8.00
 N69 E 30.50
 S46 E 7.00

T5 N. R4 E. 2^d Mer. Indiana

S37 E 3.00 to line between Sec. 1 & 2

S37 E 8.00

S3 E 8.25

S31 E 8.50

S51 E 8.50

N85 E 10.50

N50 E 8.00

N30 E 9.50

N37 E 3.11

North 4.50 to a Bayou 250 yds. wide

North 6.41

N20 W 13.50 to post in the N. boundary of T5 N. R4 E.

Meanders of the E. Fork of White River commencing at a post in the N. boundary of Town 5 N. Range 4 East thence up stream on the Right or N.W. bank

S72 E 6.00 in Sec. 30, T5 N. R4 E.

N72 E 8.00

N22 E 6.50

N13 W 3.00

N45 W 6.00

N58 W 11.00

N23 W 5.50 to Corner on Range line

in R3 E. N24 W 3.50 in Sec. 25, T5 N. R3 E.

N4 W 6.00

N26 E 3.78 Corner on Range line N. side of bend

N26 E 3.00 in Sec. 30, T5 N. R4 E (again)

N53 E 3.19

N60 E 6.50

East 8.00

N64 E 10.50

S46 E 4.78

T5 N. R4 E. 2^d. Mer. Indiana

N56 E	5.00	
N46 E	19.00	
N83 E	10.00	
N26 E	8.00	
N8 W	2.93	
N15 W	5.00	
N34 W	6.50	
N61 W	4.50	to line between Sec. 19 & 30

N64 W	32.00	in Sec. 19, T5 N. R4 E. 2 ^d . Mer.
N32 W	17.00	
N18 E	10.50	
N51 E	10.50	
East	21.50	
N79 E	41.50	
N75 E	6.50	
N53 E	12.50	
N9 E	11.50	
N77 W	9.00	
N87 W	7.50	
N59 W	11.00	
N13 W	11.00	
N21 E	4.00	to line between Sec. 18 & 19

N35 E	4.50	in Sec. 18, T5 N. R4 E.
N60 E	2.14	to line between Sec. 17 & 18

N60 E	3.00	in Sec. 17, T5 N. R4 E.
N86 E	7.00	
N85 E	30.00	
N28 E	12.50	
N51 W	10.00	
N70 W	6.00	
N43 W	11.50	
N4 E	10.00	
N39 E	9.00	

T5 N. R24 E. 2nd Mer. Indiana

N81 E	9.50	
N64 E	6.00	
N48 E	10.00	
N37 E	15.00	
N22 E	13.50	
N66 E	5.00	to line between Sec. 16 & 17

N20 E	3.00	in Sec. 16, T5 N. R24 E. a brook 100 ft.
N36 E	6.00	
N53 E	13.50	
East	7.00	
N45 E	13.50	
N80 E	3.50	
N42 E	12.00	
N65 E	14.50	
N9 N	6.50	
N61 N	11.50	
N15 N	9.00	
N18 E	4.50	
N52 E	13.00	to line between Sec. 9 & 16

N40 E	7.00	in Sec. 9, T5 N. R24 E
N10 N	7.00	
N33 N	10.00	
N11 N	12.00	
N43 E	9.00	
N82 E	9.50	
N56 E	20.00	
N41 E	12.00	line between Sec. 9 & 10

N37 E	4.00	in Sec. 10, T5 N. R24 E
N58 E	12.00	
N36 E	9.00	
N52 E	22.00	
N20 E	12.00	to line between Sec. 3 & 10

5th N. R. 4 E. 2nd Mer. Indiana

N 46 E 14.00 mi Sec 3, 5th N. R. 4 E

N 21 E 14.00

North 4.00

N 16 W 8.00

N 35 W 11.00

N 7 W 12.00

N 50 E 5.00 a Brook 100 yds. wide

N 50 E 6.00

N 79 E 10.00

N 41 E 10.50

N 11 E 26.50

N 75 E 6.00 line between Sec. 2 & 3.

N 37 E 6.00 mi Sec 2, 5th N. R. 4 E.

N 15 W 15.00

N 12 E 24.00

N 46 E 5.00 to post in N. boundary Town 5th N. R. 4 E

N 27 W 4.00 mi Sec 2 again

N 50 E 8.00

N 54 E 13.50 to post in N. boundary

N 64 E 8.50 mi Sec 2 again

N 37 E 3.50 line between Sec. 1 & 2

N 37 E 11.50 mi Sec. 1, 5th N. R. 4 E.

N 13 E 9.00

N 58 E 16.00

N 60 E 12.00

N 38 E 5.50

N 13 W 21.00 to post in the N. boundary Town 5th N. Range 4 East

Surveyed by Mr. Harris &
Arthur Harris Dep. Sur.

Comp.

I Certify, that the foregoing transcript of field notes of Township N. 5 N. Range N. 4 E. 2. Mer. Indiana has been Comp^d. with the original notes in this Office and found to be Correct.

Surveyor General's Office
Cincinnati, June 28. 1841

P. S. T. Cairnes
Sur. Genl.